






FIG. 1B
















FIG. 8





APPROVED O.G. FIG.

BY CLASS SUBCLASS

DRAFTSMAN






FIG. 11




LOAD PAGE DIRECTORY REGISTER WITH PAGE DIRECTORY VALUE

FIG. 13












FIG. 16






FIG. 17

The train the time there there there and the











FIG. 20











FIG. 24B



SUBCLASS





FIG. 25

APPROVED	O.G. FIG.	
вү	CLASS	
DRAFTSMAN		



١	APPROVED	O.G. FIG.	
	BY	CLASS	SUBCLASS
	DRAFTSMAN		l





FIG. 27






FIG. 28

APPROVED O.G. FIG.
BY CLASS SUBCLASS
DRAFTSMAN




FIG. 29

SUBCLASS

Con Con Con Con Con Con Con Con ū





FIG. 30A






FIG. 30B






FIG. 30C

FIG. 31

APPROVED	O.G. FIG.	
ВУ	CLASS	SUBCLASS
DRAFTSMAN		





APPROVED	O.G. FIG.	
	CLASS	
DRAFTSMAN		




FIG. 34





FIG. 35






FIG. 37

 \Box




FIG. 38




FIG. 39

MAKE AVAILABLE A DRIVER FOR THE DEVICE (E.G., ON HARDDRIVE, OR VIA A NETWORK)







FIG. 40


The time them them them them the control of the that


APPROVED O.G. FIG.
BY CLASS SUBCLASS
DRAFTSMAN

















FIG. 48

APPROVED	O.G. FIG.	
ву	CLASS	SUBCLASS
DRAFTSMAN		




FIG. 49